

Št. vzorca	Vodovodni sistem	Mesto odvzema	Datum	parameter																		
				T	pH	El. prevod.	Vonj	Okus	Klor-prosti	Motnost	Barva	TOC	Amonij	Bromat	THM	E. coli	Kolif. Bakt.	Enterokoki	Št. kol. 22 °C	Št. kol. 36 °C	Cl. perfringens	Klorat
mejna vrednost				6.5 - 9.5	< 2500			<ni mej>			< 0.50	< 10	< 100	0	0	0	< 100	0	< 0.25	< 0.25		
enota				°C	µS/cm			mg/L	NTU	m-1	mg/L	mg/L	µg/L	µg/L	CFU/100 mL	CFU/100 mL	CFU/100 mL	CFU/mL	CFU/mL	CFU/100 mL	mg/L	mg/L
26/38563	Krško	VH Kremen	20.04.2026	12,6				<0,05						0	0		<10	<10				
26/38564	Krško	Vodarna Rore	20.04.2026	13,2				0,08						0	0		<10	<10				
26/38565	Krško	RBR Lokve	20.04.2026	10,6				<0,05						0	0		<10	<10				
26/32946	Krško	Zajetje Brege	7.04.2026	12,9	7,4	645	bp	bp	0,22	<0,2	0,37	<0,01		<0,5	0	0	0	21	<10	0	<0,05	<0,05
26/32947	Krško	PČR Resa	7.04.2026	12,3				<0,05						0	0		<10	<10				
26/32948	Krško	VH Narpel	7.04.2026	12,2				<0,05						0	0		<10	<10				
26/32949	Krško	VH Grmada	7.04.2026	9,6				<0,05						0	0		<10	<10				
26/32950	Dolenja vas	VH Črna Mlaka - iztok	7.04.2026	10,7				0,14						0	0		<10	<10				
26/32951	Dolenja vas	VH Sr. Libna	7.04.2026	10,6				0,18						0	0		<10	<10				
26/37908	Senovo - Brestanica	VH Divjakov hrib	16.04.2026	9,9				0,05						0	0		<10	<10				
26/37911	Senovo - Brestanica	VH Petanov breg	16.04.2026	10,3				0,15						0	0		<10	<10				
26/37912	Senovo - Brestanica	PČR Armez	16.04.2026	11,8				0,08						0	0		<10	<10				
26/37913	Senovo - Brestanica	zajetje Dobrov	16.04.2026	10,1	7,6	405	bp	bp	0,12	<0,2		<0,01			1	8	0	268	22	0		
26/37914	Koprivnica	VH Koprivnica	16.04.2026	10,2				0,26						0	0		<10	<10				
26/37915	Koprivnica	VH Rostohar	16.04.2026	9,1				0,08						0	0		<10	<10				
26/37909	Veliki Kamen	VH Veliki Kamen	16.04.2026	10,3				0,19						0	0		<10	<10				
26/37910	Veliki Kamen	Veliki Kamen 12	16.04.2026	10,9				0,22					<3	0,5	0	0		<10	<10		<0,05	<0,05
26/31716	Raka	PČR Lašče	1.04.2026	11,9	7,4	523	bp	bp	0,13	0,12	<0,2	<0,01			0	0		<10	<10			
26/31717	Raka	VH Celine	1.04.2026	9,2				0,09						0	0		<10	<10				
26/31718	Raka	OŠ Raka-kuhinja	1.04.2026	14,7				<0,05						0	0		<10	<10				
26/31720	Ardro pri Raki	Ardro pir Raki 12	1.04.2026	9,6				0,11						0	0		<10	<10				
26/31721	Veliki Trn	PČ Arto	1.04.2026	15,8				0,07						0	0		<10	<10				
26/31722	Veliki Trn	VH Gorenja Lepa vas	1.04.2026	9,2				<0,05						0	0		43	<10				
26/34845	Podbočje	VH Bočje	10.04.2026	8,8				0,15						0	0		<10	<10				
26/34846	Podbočje	VH Planina	10.04.2026	6,0				0,17						0	0		<10	12				
26/34843	Premagovce	VH Premagovce	10.04.2026	13,1	7,1	525	bp	bp	0,33	0,88	<0,2	<0,01	<3		0	0	0	<10	<10	0	0,20	<0,05
26/34847	Kostanjevica	PČR Orehovec	10.04.2026	10,1				0,19						0	0	0	19	138	0			
26/34848	Kostanjevica	VH Ržišče	10.04.2026	7,1				0,05						0	0		<10	<10				
26/34844	Kostanjevica	VH Bajin Vrh	10.04.2026	9,1				0,23						0	0		93	58				